



INSTALLATION INSTRUCTIONS

Accessory

FLOOR MAT
P/N OSP63-HL7-A00

Application

SXS1000S4
SXS1000S4D

Publication No.


MII 17142

Issue Date

August 2019

Honda Dealer: Please give a copy of these instructions to your customer.

PARTS LIST



No.	Description	Qty
(1)	Driver Side Front Floor Mat	1
(2)	Passenger Side Front Floor Mat	1
(3)	Driver Side Rear Floor Mat	1
(4)	Passenger Side Rear Floor Mat	1
(5)	Trim Clip 25 mm	2
(6)	Trim Clip 20 mm	31
(7)	Installation Instruction URL	1

TOOLS REQUIRED


Drill bit, 8 mm.

Power drill.

INSTALLATION


1. Install the driver side front floor mat and use it as a template to drill the ten mounting holes using an 8 mm drill bit.

DRIVER SIDE FRONT FLOOR MAT




2. Install a 20 mm trim clip in each mounting hole as shown.

DRIVER SIDE FRONT FLOOR MAT




3. Install the passenger side front floor mat and use it as a template to drill the fourteen mounting holes using an 8 mm drill bit.




PASSENGER SIDE FRONT FLOOR MAT

4. Install the two 25 mm trim clips in the upper holes and a 20 mm trim clip in each remaining mounting hole as shown.




5. Install the driver side rear floor mat and use it as a template to drill the four mounting holes using an 8 mm drill bit.

DRIVER SIDE REAR FLOOR MAT




6. Install a 20 mm trim clip in each mounting hole as shown.

DRIVER SIDE REAR FLOOR MAT



7. Install the passenger side rear floor mat and use it as a template to drill the five mounting holes using an 8 mm drill bit.



8. Install a 20 mm trim clip in each mounting hole as shown.

